

How to Explain Your ADHD













Key Points

- ADHD is a lifelong, neurodevelopmental disorder
- The symptoms of ADHD include issues with attention, hyperactivity and impulsiveness, but not everybody has all of the symptoms
- People with ADHD can also have issues with controlling emotions
- ADHD can also mean we often lose or forget things
- People with ADHD also really struggle with being rejected or ignored





What is ADHD?

ADHD is a lifelong neurodevelopmental disorder in which the brain develops differently to a non-ADHD brain. The way in which an ADHD brain develops means that the behaviours of somebody with ADHD are different to most people. The core symptoms of ADHD are separated into 'Inattentiveness' (Figure 1) and 'Hyperactivity/impulsivity' (Figure 2).

People with ADHD can have issues solely with attention, solely with hyperactivity or impulsiveness or issues with both areas.

Inattentive Type ADHD

People with inattentive type ADHD, and generally struggle with focusing on, or paying attention to tasks which their brains do not find rewarding. It is not for people with ADHD don't want to do these tasks, it's often *tasks which one* wants to do that we struggle to pay attention to.

In the real world, this means that somebody with inattentive type ADHD may often do the following things:

- Forget an appointment or birthday.
- Struggle to listen to you while they are doing something else.
- Struggle to start or finish tasks or activities.
- Lose things frequently throughout the day.





When trying to explain this to people without ADHD, it's important to point out that *people with ADHD do not choose to do these things*!

The reason of these things happen is because the parts of our brain that normally allow us to pay attention to things, we want to pay attention to work differently to non-ADHD brains.

The 9 diagnostic signs of attention 'deficit':

- 1. Making careless mistakes/lacking attention to detail
- 2. Difficulty sustaining attention
- 3. Being less able to listen when spoken to directly
- 4. Failing to follow through on tasks and instructions
- 5. Exhibiting poor organisation
- 6. Avoiding tasks that require sustained mental effort.
- 7. Losing things necessary for tasks/activities
- 8. Being easily distracted (including unrelated thoughts)
- 9. Being forgetful in daily activities

Figure 1: The nine diagnostic symptoms of inattentiveness





Hyperactive Type ADHD

People with hyperactive/impulsive type ADHD, and generally struggle with being still, waiting their turn, controlling impulsive behaviours, or taking time off.

In the real world, this means that somebody with hyperactive/impulsive type ADHD may often do the following things:

- Interrupt people.
- Spend money impulsively.
- Struggle to sit still while in meetings or at gatherings

Again, people with ADHD don't want to be hyperactive or impulsive, the parts of the brain which inhibit movement or impulsive behaviour do not work the same as in non-ADHD brains.











The 9 'symptoms' of hyperactivity/impulsivity

- You fidget, tap your hands or feet, and squirm in your seat.
- You leave your seat in situations when remaining seated is expected.
- You experience feelings of restlessness.
- You have difficulty engaging in quiet, leisurely activities.
- You are "on-the-go' or act as if you're "driven by a motor".
- You talk excessively.
- You blurt out answers.
- You have difficulty waiting their turn, such as in conversations.
- · You interrupt or intrude on others.

Figure 2: The nine diagnostic symptoms of hyperactive/impulsive type ADHD

Combined Type ADHD

People with combined type ADHD have issues with both attention and hyperactivity/impulsiveness, and therefore may struggle with all the issues mentioned above!





Non-Diagnostic Symptoms of ADHD

People with ADHD, often have other issues which aren't included in the symptoms listed above for inattentiveness or hyperactivity/impulsiveness. These can include:

Emotional Regulation

Because the parts of the brain that regulate our emotions, often don't work as well in people with ADHD, people with ADHD, and often underreact or over, react to things that happen in life.

This can show itself as becoming very upset at small things, like a spilt drink, or underreacting to very large life events such as open evening.

It is important to remember that people with ADHD don't choose to be emotional, but that our brains often do not allow us to respond appropriately.

Poor Working Memory

Working memory is there a specific type of short-term memory, which is a little bit like in mental 'post-it note'. Your brain uses this mental 'post it note' to store information for a very short period while it decides whether it is important or not. Think about the last time you put your car keys down, and whether you remember where you put them or not. People with ADHD





generally have poor working memory, which means it is difficult to remember people's names, where you put things, why are you walked into to a room etc.

Again, whilst many people will forget things like this, someone with ADHD will do this many times every day, and it is not their choice to do this!

Rejection Sensitivity

Nobody likes being rejected. However, almost every adult with ADHD also has rejection sensitivity, which means that rejection, criticism, or being ignored can cause intense, emotional distress. To complicate things, even if you *think* you have been rejected, or you *think you will be* rejected in the future with ADHD, you can feel this sense of distress.

People with ADHD may therefore respond very negatively if they are criticised or ignored, or if they think they have been criticised or ignored. Again, nobody with ADHD chooses to feel like this or wants to be this way, it is related to have our brains developed.











Explaining these things to someone who doesn't have ADHD

It is sometimes difficult to explain your ADHD to somebody that doesn't have it. Many people think that ADHD isn't real, although it's an excuse for being lazy.

In trying to explain why you cannot do some of the things that most people to you, sometimes useful to use analogies.

For example:

- Engaging with a task that your brain finds 'unrewarding', but that you
 want to do is a little bit, like trying to force yourself to put your hand
 on to something very hot. It's very difficult to do, and therefore you're
 unlikely to be able to do it.
- Trying to stop yourself from acting impulsively when you have ADHD is
 a little bit like trying to not to catch a ball when it's thrown at your
 face. People with ADHD do not have normal activity in parts of the
 brain which act as our internal 'brakes', and therefore, stopping
 ourselves from being impulsive, can be very difficult.
- Our lack of normal emotional regulation is a little bit like picking something out of a lucky dip; sometimes you'll get something good, sometimes you'll get something not so good. People with ADHD do not choose how they respond emotionally to events in life.





- Feeling rejection intensely can lead to people becoming people
 pleasers or completely withdrawing from a group or from society. This
 is a little bit like if a newspaper printed a photo of somebody and
 accused them of doing something awful, an event which would likely
 have a huge effect on the person and how they engaged with other
 people.
- Everybody forgets things now, and again, and this means that being forgetful with ADHD can often be dismissed as 'everyone does that'.
 But with ADHD, poor working memory is every day for all your life.
 Another way of thinking about this is visiting Disneyland for one day it's very different from living at Disneyland every day for all your life

